

Safety Data Sheet PRONite T™

SECTION 1 – IDENTIFICATION

Product Trade Name	PRONite T™
Generic Description	Modified Gilsonite
Manufacturer/Supplier	Procor Chemicals
Address	P.O. Box 81356., Lafayette, LA 70598
Phone Number	
Emergency Number	1-800-424-9300 (Chemtrec)
Revised Date	7-1-24

SECTION 2 – HAZARD IDENTIFICATION

Hazard Data:

May be irritating to skin, eyes and respiratory tract.

Health 1 Flammability 1

Reactivity 0 Ratings based on NPFA

PPE





Inhalation:

May be irritating to the respiratory tract if inhaled at concentrations that exceed recommended exposure limit. Nuisance dust 15 mg/m3 total dust. Signs and symptoms of respiratory tract irritation may include, but may not be limited to, nasal discharge, sore throat, coughing..

Skin Contact:

May be irritating to the skin with prolonged contact.

Eye Contact:

May cause irritation to the eyes due to the abrasive action of the dust.

Ingestion:

Not anticipated route of exposure.

Chronic Health Effects

None known. Not listed as a carcinogen on IARC, NTP or OSHA lists.

Medical Conditions Aggravated by Exposure

None known.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTCAS NumberWT. %Gilsonite12002-43-697%Surfactant Mixture3%

Safety Data Sheet

PRONite T™

SECTION 4 – FIRST AID MEASURES

Inhalation:

Remove person to fresh air. Get medical attention for any breathing difficulty.

Skin Contact:

Wash exposed area with soap and water. Get medical advice if irritation develops.

Eye Contact:

Wash thoroughly with large amounts of running water for at least 15 minutes. Get medical advice if irritation develops. Remove contact lenses if worn.

Ingestion:

If large amounts were ingested, give water to drink and get medical advice.

Advice to Physicians

Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Flash Point 599°F

Flammable Limits Not determined

Fire Extinguishing Media Water, carbon dioxide, dry powder or foam.

Unusual Fire and Explosion Hazard

Dust is subject to combustion or explosion upon contact with sparks, open flames or temperatures in excess of 1000F. Any potential of sparking or ignition should be moved prior to pulverizing or other process resulting in dust generation.

Special Fire Fighting Procedures

Evacuate area of all unnecessary personnel. Use NIOSH approved self contained breathing apparatus and other protective equipment if conditions warrant.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Release or SpillCollect and place in suitable container for reuse or disposal.

Personal PrecautionsAvoid breathing dust.Environmental PrecautionsKeep out of waterways

SECTION 7 – HANDLING AND STORAGE

Store in a cool, dry, ventilated area. Use good housekeeping in storage and work areas to prevent accumulation of dust. Keep away from excessive heat, oxidizing agents and ignition sources. Dust may form explosive mixture with air at high concentrations.

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION

Airborne Exposure Limits

OSHA Permissible Exposure Limit (PEL) 15 mg/m3 total dust, 5 mg/m3 respirable fraction for nuisance dusts.

Ventilation Requirements:

A system of local and/or general exhaust is recommended if handled in a confined area.

Respiratory Protection

Use NIOSH approved nuisance dust respirator.

Skin Protection

Wear long sleeved clothing and work gloves.

Eye Protection

Wear safety glasses with side shields. Maintain eye wash station in work area.

Other Protection Equipment/Clothing

As appropriate for work area.

Safety Data Sheet

PRONite T™

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State Powder

Color Dark Brown to Black Odor Mild Hydrocarbon рΗ Not applicable **Specific Gravity** 1.04-1.06 **Boiling Range/Point** Not applicable **Melting Point** 320° - 400°F 180° - 200° **Softening Point Flash Point** 600°F Solubility in Water Insoluble Vapor Density (Air=1) Not applicable **Evaporation Rate (butyl acetate=1)** Not applicable

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use and storage.

Materials to Avoid: Excessive heat and strong oxidizers.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition: If involved in fire: smoke, fumes, carbon oxides, nitrogen oxides.

SECTION 11 – TOXICOLOGICAL INFORMATION

No acute toxicity data is available for product or components. Not listed as carcinogen by IARC, NTP, or OSHA.

SECTION 12 - ECOLOGICAL INFORMATION

No ecotoxicity data is available

SECTION 13 - DISPOSAL

Dispose of material in accordance with all local, state, and federal regulations.

SECTION 14 - TRANSPORTATION INFORMATION

UN Proper Shipping NameNot regulated as hazardous

UN Label None
UN Identification Number None
Hazardous Ingredients None
Placards None
Reportable Quantity None

SECTION 15 - REGULATORY INFORMATION

TSCA Listed Yes
SARA Title III Section 302 No
SARA Title III Section 311/312 No
SARA Title III Section 313 No

Safety Data Sheet PRONite T™

SECTION 16 - OTHER INFORMATION

Abbreviations

N/A: Denotes no applicable information found or available

CAS#: Chemical Abstracts Service Number

ACGIH: American Conference of Governmental Industrial Hygienists

NIOSH: National Institute for Occupational Safety & Health OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
STEL: Short Term Exposure Limit
NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

MSDS Date: 07/2006

Disclaimer: All information and recommendations concerning product is based on tests and data believed to be reliable; however it is the user's responsibility to determine the safety, toxicity and suitability for the user's own use of the product described herein. Since the actual use by others is beyond our control, no guarantee expressed or implied is made by PROCOR Chemicals. Nor is the information herein to be construed as absolutely complete since additional

information may be necessary or desirable when particular conditions exist or because of applicable laws or government regulations.